Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

July 27, 2016

Tom Moe
USS Corporation
P.O. Box 417
8771 Park Ridge Dr
Mountain Iron, MN 55768

RE: Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

Dear Tom Moe:
Enclosed are the analytical results for sample(s) received by the laboratory on July 20, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Melisa M Woods
melisa.woods@pacelabs.com
Project Manager

Enclosures

cc: Cory Hertling
Terri Sabetti, NTS

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

CERTIFICATIONS

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792
Alaska Certification #MN01084
Arizona Department of Health Certification #AZ0785
Minnesota Dept of Health Certification #: 027-137-445
North Dakota Certification: # R-203
Wisconsin DNR Certification # : 998027470
WA Department of Ecology Lab ID# C1007
Nevada DNR #MN010842015-1
Oklahoma Department of Environmental Quality

Duluth Minnesota Cerification ID's

4730 Oneota St., Duluth, MN 55807
Minnesota Dept of Health Certification #: 027-137-152
Wisconsin DNR Certification # : 999446800
North Dakota Certification #: R-105

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

SAMPLE SUMMARY

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

Lab ID	Sample ID	Matrix	Date Collected	Date Received
1270846001	**SD 001 (Seep 020)**	Water	07/20/16 10:30	07/20/16 11:40

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

SAMPLE ANALYTE COUNT

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1270846001	**SD 001 (Seep 020)**	EPA 1664 TPH	BT1	1	PASI-DUL
		USGS I-3765	JP1	1	PASI-V

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

ANALYTICAL RESULTS

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

Sample: SD 001 (Seep 020) **Lab ID: 1270846001** Collected: 07/20/16 10:30 Received: 07/20/16 11:40 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
1664 SGT-HEM, TPH	Analytical Method: EPA 1664 TPH								
Total Petroleum Hydrocarbons	ND	mg/L	3.0	1.0	1		07/25/16 15:35		
USGS I-3765 TSS	Analytical Method: USGS I-3765								
Total Suspended Solids	**2.0**	mg/L	1.0	1.0	1		07/26/16 11:34		

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALITY CONTROL DATA

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

QC Batch: 88805 Analysis Method: EPA 1664 TPH
QC Batch Method: EPA 1664 TPH Analysis Description: 1664 SGT-HEM, TPH
Associated Lab Samples: 1270846001

METHOD BLANK: 348759 Matrix: Water
Associated Lab Samples: 1270846001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Petroleum Hydrocarbons	mg/L	ND	3.0	1.0	07/25/16 13:13	

LABORATORY CONTROL SAMPLE: 348760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Petroleum Hydrocarbons	mg/L	20	14.3	72	64-132	

MATRIX SPIKE SAMPLE: 348761

Parameter	Units	1270156001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Petroleum Hydrocarbons	mg/L	ND	23.3	17.4	72	64-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALITY CONTROL DATA

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

QC Batch: 88952
QC Batch Method: USGS I-3765
Analysis Method: USGS I-3765
Analysis Description: USGS I-3765 Total Suspended Solids
Associated Lab Samples: 1270846001

METHOD BLANK: 349490 Matrix: Water
Associated Lab Samples: 1270846001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Suspended Solids	mg/L	ND	1.0	1.0	07/26/16 11:31	

LABORATORY CONTROL SAMPLE: 349491

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	239	240	100	80-120	

SAMPLE DUPLICATE: 349492

Parameter	Units	1270928001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	223	220	2	10	

SAMPLE DUPLICATE: 349493

Parameter	Units	1270850001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	100	103	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALIFIERS

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-DUL	Pace Analytical Services - Duluth
PASI-V	Pace Analytical Services - Virginia

Pace Analytical Services, Inc.
315 Chestnut Street
Virginia, MN 55792
(218) 742-1042

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: USS MinTac NPDES-TB Wk 3
Pace Project No.: 1270846

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1270846001	**SD 001 (Seep 020)**	EPA 1664 TPH	88805		
1270846001	**SD 001 (Seep 020)**	USGS I-3765	88952		

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOC

WO# : 1270846

PM: MMW Due Date: 08/03/16

CLIENT: USS CORP

1 Of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	USS Corporation	Report To:	Tom Moe	Attention:	
Address:	P.O. Box 417	Copy To:		Company Name:	
Mt. Iron, MN 55768				Address:	
Email:		Purchase Order #:		Pace Quote:	
Phone:	Fax:	Project Name:	NPDES-TB Wk3	Pace Project Manager:	heather.zika@pacelabs.com,
Requested Due Date:		Project #:		Pace Profile #:	

atory Agency

State / Location

Requested Analysis Filtered (Y/N)

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique	MATRIX	CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test Y/N	TSS	TRPH 1664	Residual Chlorine (Y/N)
1	SD 001 (Seep 020)	Drinking Water	DW	WT		7-26-16	10:30	7-26-16	10:30												X	X	
2		Water	WT																				
3		Waste Water	WW																				
4		Product	P																				
5		Soil/Solid	SL																				
6		Oil	OL																				
7		Wipe	WP																				
8		Air	AR																				
9		Other	OT																				
10		Tissue	TS																				
11																							
12																							

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Ron Perkarinen USS	11:40			7-20	11:40	5.7	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ron Perkarinen

SIGNATURE of SAMPLER: Ron Perkarinen

DATE Signed: 7-20-16

TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

Pace Analytical®	Document Name: Sample Condition Upon Receipt Form	Document Revised: 23Feb2015 Page 1 of 1
	Document No.: F-VM-C-001-Rev.09	Issuing Authority: Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: USS Corporation

Project #:

WO# : 1270846

1270846

Courier: ☐Fed Ex ☐UPS ☐USPS ☒Client ☐Commercial ☐Pace ☐Other:

Tracking Number:

Custody Seal on Cooler/Box Present? ☐Yes ☒No **Seals Intact?** ☐Yes ☒No

Optional: Proj. Due Date: Proj. Name:

Packing Material: ☐Bubble Wrap ☐Bubble Bags ☒None ☐Other: **Temp Blank?** ☒Yes ☐No

Thermometer Used: ☒ 140792808 **Type of Ice:** ☒Wet ☐Blue ☐None ☐Samples on ice, cooling process has begun

Cooler Temp Read °C: 5.4 **Cooler Temp Corrected °C:** 5.7 **Biological Tissue Frozen?** ☐Yes ☐No ☒NA

Temp should be above freezing to 6°C Correction Factor: +0.3 **Date and Initials of Person Examining Contents:** AT 7-20

				Comments:
Chain of Custody Present?	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out?	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished?	☒Yes	☐No	☐N/A	3.
Sampler Name and Signature on COC?	☒Yes	☐No	☐N/A	4.
Samples Arrived within Hold Time?	☒Yes	☐No	☐N/A	5.
Short Hold Time Analysis (<72 hr)?	☐Yes	☒No	☐N/A	6.
Rush Turn Around Time Requested?	☐Yes	☒No	☐N/A	7.
Sufficient Volume?	☒Yes	☐No	☐N/A	8.
Correct Containers Used?	☒Yes	☐No	☐N/A	9.
-Pace Containers Used?	☒Yes	☐No	☐N/A	
Containers Intact?	☒Yes	☐No	☐N/A	10.
Filtered Volume Received for Dissolved Tests?	☐Yes	☐No	☒N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	☒Yes	☐No	☐N/A	12.
-Includes Date/Time/ID/Analysis Matrix: W				
All containers needing acid/base preservation will be checked and documented in the pH logbook.	☐Yes	☐No	☒N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	☐Yes	☐No	☒N/A	13.
Headspace in VOA Vials (>6mm)?	☐Yes	☐No	☒N/A	14.
Trip Blank Present?	☐Yes	☐No	☒N/A	15.
Trip Blank Custody Seals Present?	☐Yes	☐No	☒N/A	
Pace Trip Blank Lot # (if purchased):				

CLIENT NOTIFICATION/RESOLUTION **Field Data Required?** ☐Yes ☐No

Person Contacted: Date/Time:

Comments/Resolution:

FECAL WAIVER ON FILE Y N TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Date: 7/21/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

Intra-Regional Chain of Custody

Pace Analytical®
www.pacelabs.com

Workorder: 1270846 **Workorder Name:** USS MinTac NPDES-TB Wk 3 **Owner Received Date:** 7/20/2016 **Due Date:** 8/3/2016

Received at:	Send To Lab:
Pace Analytical Virginia 315 Chestnut Street Virginia, MN 55792 Phone (218) 742-1042	Pace Analytical Duluth 4730 Oneota Street Duluth, MN 55807 Phone (218) 727-6380

Report To:
Melisa M Woods

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers: HCL	Requested Analysis: EPA 1664 TPH	LAB USE ONLY
1	SD 001 (Seep 020)	PS	7/20/2016 10:30	1270846001	Water	2	X	
2								
3								
4								
5								

Transfers	Released By	Date/Time	Received By	Date/Time
1	[signature]	7/22/16 14:00	Kristina Polson	7/25/16 1445
2				
3				
4				

Comments

Cooler Temperature on Receipt 0.1 °C | **Custody Seal** (Y) or N | **Received on Ice** (Y) or N | **Samples Intact** (Y) or N

****In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.*
This chain of custody is considered complete as is since this information is available in the owner laboratory.

Pace Analytical®	Document Name: **Sample Condition Upon Receipt Form**	Document Revised: 22Jan2016 Page 1 of 1
	Document No.: **F-DUL-C-001-Rev.01**	Issuing Authority: Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: IR - COC from Virginia

Project #:

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other:

Tracking Number:

Custody Seal on Cooler/Box Present? ☒ Yes ☐ No **Seals Intact?** ☒ Yes ☐ No

Optional: Proj. Due Date: Proj. Name:

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other: **Temp Blank?** ☒ Yes ☐ No

Thermometer Used: ☒ B00051 **Type of Ice:** ☒ Wet ☐ Blue ☐ None ☒ Samples on ice, cooling process has begun

Cooler Temp Read °C: 1.5 **Cooler Temp Corrected °C:** 0.7 **Biological Tissue Frozen?** ☐ Yes ☐ No ☒ NA

Temp should be above freezing to 6°C Correction Factor: -0.8 °C **Date and Initials of Person Examining Contents:** 7/25/16 KP

				Comments:
Chain of Custody Present?	☒ Yes	☐ No	☐ N/A	1.
Chain of Custody Filled Out?	☒ Yes	☐ No	☐ N/A	2.
Chain of Custody Relinquished?	☒ Yes	☐ No	☐ N/A	3.
Sampler Name and Signature on COC?	☐ Yes	☐ No	☒ N/A	4.
Samples Arrived within Hold Time?	☒ Yes	☐ No	☐ N/A	5.
Short Hold Time Analysis (<72 hr)?	☐ Yes	☒ No	☐ N/A	6.
Rush Turn Around Time Requested?	☐ Yes	☒ No	☐ N/A	7.
Sufficient Volume?	☒ Yes	☐ No	☐ N/A	8.
Correct Containers Used?	☒ Yes	☐ No	☐ N/A	9.
-Pace Containers Used?	☒ Yes	☐ No	☐ N/A	
Containers Intact?	☒ Yes	☐ No	☐ N/A	10.
Filtered Volume Received for Dissolved Tests?	☐ Yes	☐ No	☒ N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	☒ Yes	☐ No	☐ N/A	12.
-Includes Date/Time/ID/Analysis Matrix: WT				
All containers needing acid/base preservation will be checked and documented in the pH logbook.	☐ Yes	☐ No	☐ N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	☐ Yes	☐ No	☐ N/A	13.
Headspace in VOA Vials (>6mm)?	☐ Yes	☐ No	☐ N/A	14.
Trip Blank Present?	☐ Yes	☐ No	☐ N/A	15.
Trip Blank Custody Seals Present?	☐ Yes	☐ No	☐ N/A	
Pace Trip Blank Lot # (if purchased):				

CLIENT NOTIFICATION/RESOLUTION **Field Data Required?** ☐ Yes ☐ No

Person Contacted: Date/Time:

Comments/Resolution:

FECAL WAIVER ON FILE Y N TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: AP for LMF **Date:** 7-25-16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)